REMARKS

Applicant thanks Examiner Jimenez for considering this application, which has been carefully reviewed and amended in view of the April 19, 2002 office action. Entry of the present amendment and reconsideration of the application are carnestly requested.

In the Drawings

The drawings were objected to because they did not include the reference sign 52 as described in the specification at page 8, line 13. Accordingly, proposed drawing corrections of Figures 2 and 3 including the reference sign 52 are submitted herewith.

In the Specification

The paragraph on page 8 extending between lines 5 and 17 has been amended to correct a typographical error.

Rejections under 35 U.S.C. §112

Claims 12, 14 and 21 stand rejected as indefinite under 35 U.S.C. §112. Specifically, the examiner states that there is no antecedent basis for "the metal tube" in Claim 12, and for "the plastic tube" in Claim 14, and further states that Claim 21 is incomplete. Each of Claims 12, 14 and 21 has been amended accordingly and is now in condition for allowance under 35 U.S.C. §112.

Rejections under 35 U.S.C. §102

Claims 1, 3-5, 9, 15, 16, 19-22, 24 and 25 stand rejected under 35 U.S.C. §102(b) as being anticipated by Krupp (US 4,385,683). Claims 1-6, 8-11 and 20-25 stand rejected under 35 U.S.C. §102(b) as being anticipated by Okamura et al (US 4,517,719). Claims 1, 3-10, 13 and 20-25 stand rejected under 35 U.S.C. §102(b) as being anticipated by Blackwood et al, (US 4,440,295). With respect to Krupp, the examiner relies in part on "...a compliant (col. 3, line 53) core 18 affixed relative to the shaft 12...". With respect to Okamura, the examiner cites "...a compliant /cellular/open cell structure core 4...". With respect to Blackwood et al, the examiner cites "...a compliant core 2...".

Applicant respectfully submits that each of the '683, '719 and '295 references fails to teach a compliant core. "Compliant" means "having the ability to yield elastically when a force is applied" (see enclosure).

By contrast, Krupp teaches a sleeve (core) which (Abstract) is "...constructed of a rigid plastic", and which (col. 3, lines 1-3) is "...preferably injection molded, extruded or otherwise constructed of acrylonitrile-butadiene-styrene copolymer, ABS, or other rigid plastic." The Krupp reference contains several other specific allusions to a rigid material making clear that the sleeve is not intended to be compliant.

The Okamura et al reference likewise does not teach a compliant retaining member (core). Among several allusions to a rigid retaining member, col. 2 (3-5) teaches a "...retaining member in the form of a retaining layer made of rigid synthetic resin or rigid synthetic resin foam", while column 5 (15-17) teaches that "...an elastic material which is readily deformed should not be adopted as the material for the retaining layer".

The '295 reference teaches (col. 4, lines 5-6) that "...the core is made of a rigid polyurethane foam" which, therefore, cannot be compliant.

Any reference anticipating Applicant's invention must teach each and every claimed element thereof. As Applicant has argued, a compliant core is not taught in any of the above references. Therefore, Applicant respectfully submits that, with respect to 35 U.S.C. §102(b), Claims 1, 3-5, 9, 15, 16, 19-22, 24 and 25 are allowable over Krupp, Claims 1-6, 8-11 and 20-25 are allowable over Okamura et al, and Claims 1, 3-10, 13 and 20-25 are allowable over Blackwood et al.

Rejections under 35 U.S.C. \$103

Claims 2, 6, 7, 11, 13, 17, 18 and 23 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Krupp. Applicant notes that Claims 2, 6, 7, 11, 13, 17 and 18 depend from Claim 1, and Claim 23 depends from Claim 22. As Applicant has argued above, Claims 1 and 22 are patentable over Krupp; it follows therefore that the respective dependent Claims 2, 6, 7, 11, 13, 17 and 18, and Claim 23 are also patentable over Krupp.

Claim 6 stands rejected under 35 U.S.C. §103(a) as being unpatentable over Krupp in view of Hiroya (JP-05-035110). Since Applicant has argued above that Claim 1 is patentable, and since Claim 6 depends from Claim 1, therefore Claim 6 is also patentable.

Claims 7, 13, 17, 18 and 23 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Krupp in view of Eiji (JP-08169573). As previously noted, Claims 7, 13, 17 and 18 depend from Claim 1, and Claim 23 depends from Claim 22. Again, Applicant has

argued that Claims 1 and 22 are patentable, and it follows that the respective dependent Claims 2, 6, 7, 11, 13, 17 and 18, and Claim 23 are also patentable.

Claim 12 stands rejected under 35 U.S.C. §103(a) as being unpatentable over Okumura et al (US 4,517,719) in view of Sawa et al (US 5,553,845). Applicant has argued above that Claim 1 is patentable over Okumura et al.; since Claim 12 depends ultimately from Claim 1, Applicant respectfully submits therefore that Claim 12 is allowable over Okumura et al. in view of Sawa.

Claim 14 stands rejected under 35 U.S.C. §103(a) as being unpatentable over Blackwood et al in view of Sawa et al. As Applicant has argued above, Claim 1 is not anticipated by Blackwood. Given that Claim 14 depends ultimately from Claim 1, Applicant respectfully submits that Claim 14 is allowable over Blackwood et al in view of Sawa et al.

Attached hereto is a marked-up version of the changes made to the specification and claims by the current amendment. The attached page is captioned "Version with markings to show changes made."

Accordingly, in view of the above amendments and comments, Applicant submits that all the pending Claims 1-25 are in condition for allowance, which action is respectfully requested.

Respectfully submitted,

HARTER, SECREST & EMERY LLP

By:

Stephen B. Salai

Reg. No. 26,990

Harter, Secrest & Emery LLP 1600 Bausch & Lomb Place

Rochester, New York 14604-2711

Telephone No.: (585) 231-1386

Fax No.: (585) 232-2152

Dated: July 19, 2002

716 232 219

Serial No.: 09/846,762

VERSION WITH MARKINGS TO SHOW CHANGES MADE

In the Specification:

On page 8, please replace the paragraph extending from line 5 to line 17 with:

In one embodiment, the non-compliant layer 48 is a relatively rigid metal or plastic tube. The tube can have a thickness of about .020 inches or greater. The outer surface of the tube is preferably roughened or coated with a high co-efficient of friction material. The coating should preferably be relatively thin compared with the radius of the compliant core 44. A thin coating having a thickness of about of .020 inches has been found effective. Additional layers of material can be applied to the outside of the non-compliant layer 48 to enhance the ability of the roller 40 to transport particular materials. For example, a relatively thin layer 52 of soft material such as a soft rubber [maybe] may be applied to the outside surface of an otherwise slippery non-compliant layer 48. Preferably, the soft rubber layer is sufficiently thin to preclude any deformation which introduces a significant change in the circumference or deformation of the tire 40 and hence tendency to produce scrub.

In the Claims:

Please amend the claims as follows:

- 1. (Once Amended) A roller for a roller assembly, the roller comprising:
- (a) a shaft; and
- (b) a first tire mounted relative to the shaft, the first tire including:
 - (i) a compliant core affixed relative to the shaft for rotation with the shaft; and
 - (ii) a non-compliant layer connected to the core for rotation with the core.
- 2. The roller assembly of Claim 1, wherein the shaft comprises a plastic shaft.
- 3. The roller assembly of Claim 1, wherein the shaft has a linear variance less than .03 inches per linear foot.
- 4. The roller assembly of Claim 1, wherein the compliant core comprises a cellular structure.

- 5. The roller assembly of Claim 4, wherein the cellular structure has an open cell structure.
- 6. The roller assembly of Claim 4, wherein the cellular structure comprises polyurethane.
- 7. The roller assembly of Claim 1, wherein the non-compliant layer comprises a layer of clastomeric material.
- 8. The roller assembly of Claim 1, wherein the non-compliant layer has a durometer less than 60 Shore A.
- 9. The roller assembly of Claim 1, wherein the non-compliant layer has a durometer greater than 35 Shore A.
- 10. The roller assembly of Claim 1, wherein the non-compliant layer has a durometer greater than 35 Shore A and less than 60 Shore A.
- 11. The roller assembly of Claim 1, wherein the non-compliant layer includes a metal tube.
- 12. (Once Amended) The roller assembly of Claim [8]11, comprising a layer of coefficient of friction enhancing material on the metal tube.
- 13. The roller assembly of Claim 1, wherein the non-compliant layer comprises a plastic tube.
- 14. (Once Amended) The roller assembly of Claim [12]13, comprising a layer of coefficient of friction enhancing material on the plastic tube.
- 15. The transport mechanism of Claim 1, comprising a second tire mounted on the shaft.
 - 16. The roller assembly of Claim 15, wherein the second tire comprises:
 - (a) a compliant core; and
 - (b) a non-compliant layer on the core.

- 17. The roller assembly of Claim 16, wherein the non-compliant layer comprises a layer of elastomeric material.
- 18. The roller assembly of Claim 16, wherein the non-compliant layer comprises a layer of synthetic rubber.
- 19. The roller assembly of Claim 16, comprising a coefficient of friction enhancing surface on the non-compliant layer of one of the first tire and the second tire.
- 20. (Once Amended) A tire for a roller for transporting a sheet material, the roller including a shaft, and having an unloaded state and a loaded state, the tire comprising:
 - (a) a compliant core connected relative to the shaft for rotation with the shaft; and
- (b) a non-compliant layer connected to and surrounding the compliant core and[,] the shaft, the compliant core and the non-complaint layer being concentric in the unloaded configuration, and the shaft being offset from the concentric state in the loaded state, the non-compliant layer selected to preclude a deformation of the non-compliant layer in the loaded state sufficient to induce skewing or scuffing of the sheet material upon contact with the sheet material.
- 21. (Once Amended) The tire of Claim 20, wherein the non-compliant layer has a constant cross section [in] between the unloaded state and the loaded state [than the compliant core].
- 22. A roller having an unloaded concentric configuration and a loaded non-concentric configuration, the roller comprising:
 - (a) a shaft;
 - (b) a non-compliant layer; and
- (c) a compliant core intermediate the non-compliant layer and the shaft, the compliant core selected to produce a varying annular segment size of the compliant core and the non compliant layer selected to produce a constant annular segment size during rotation of the shaft in the loaded non-concentric configuration.

- 23. The roller of Claim 22, wherein the non-compliant layer is one of a metal tube or a plastic tube.
 - 24. The roller of Claim 22, wherein the compliant layer has a cellular structure.
 - 25. A tire for a roller, comprising:
 - (a) a hub; and
- (b) a first tire mounted on the hub for rotation with the hub, the first tire including:
 - (i) a compliant core affixed to the hub for rotation with the hub; and
 - (ii) a non compliant layer connected to the core for rotation with the core for rotation with the core.




FIGURE 2




FIGURE 3



complexional • compound fracture 236

i the quality or state of being complicated 2; something that is complicated 1 complicated 1 kim-plo-kāt/ w -cat-pd; cat-ing that is complicated 1 kim-plo-kāt/ w -cat-pd; cat-ing (1621) 1; to complicated 1 compli

or participation in or as if in a wrongful act 2: an instance of complicity compile bet \"piii-pi\" at (1660): one that complies promptly (1660): one that compliments (1.50 compliments) for the piiminto, it cumplit to be controved — more at comply (1654) 1 a pliminto, it cumplit to be controved — more at comply (1654) 1 a radiating remark b: formal and respectful recognition: Honor 2 pl admiring remark b: formal and respectful recognition: Honor 2 pl compliments (-meat) w (1735) 1: to pay a compliment to 2: to present with a token of extern complimentally \".meat\" w (1735) 1: to pay a compliment to 2: to present with a token of extern complimentally \".meat\" w (1735) 1: to pay a compliment to 2: to present with a token of extern compliment b: FAVORABLE (the novel received ing or containing a compliment b: FAVORABLE (the novel received measurement) 2: given free as a courtesy or favor (~ tickets) — complimentary close n (1919): the words (as interest) pour) that complimentary close n (1919): the words (as interest) pour) that complimentary closes (1916): the sevent sender's regard for the receiver — called also complimentary closing complime \"xim-plan. "plin\" n often cap [MB complime, complie, complie \"xim-plan." plin\" n often cap [MB complies, complie, fr. OF complie \"xim-plan. "plin\" n often cap [MB complies, complies, fr. complies \"xim-plan. \"yith \"xim-plan. \"yith

2: to conform or adapt one's actions to mother's wishes, to a rule in to accessing the composition of the composition of various composition materials of various composition materials and the component (tam-)-po-ant. Tam-, kim-, k [1. component, component to put together—imore at conspound) (1643) and the component to put together—imore at conspound) (1643) and to constituent part; in Narabilent 2 a: any one of the vector terms added to form a vector sum or resultant b: a coordinate of a vector sum or resultant b: a coordinate of a vector older cities employed and constitute syn see LEMENT — componential (Lam-po-nential) and component and (1664); serving or helping to constitute: constitute stringer.

*component adj (1664): serving or helping to constitute: CONSTITUINT

COMP-port \kinn-\pdr. \pdrt\ \si [MF comporer to bear, conduct, fr. L.

COMP-port \kinn-\pdr. \pdrt\ \si [MF comporer to bear, conduct, fr. L.

COMP-port \kinn-\pdr. \pdrt\ \si [MF comporer to bear, conduct, fr. L.

COMP-port \kinn-\pdr. \pdr. \si com- \si portare to carry — more at

FARE] \((1589): 10 be fitting: \land \cond \text{ (actions that — with policy)}

\[
\si \text{ is BEHAVE } \sip \text{ : to behave in a manner conformable to what is

right, proper, or expected \sim \sid \text{ himself well in the crisis} \]

BEHAVE — comporer \text{ (action \text{ (actions that is consisted)} \sim \text{ (action \text{

composing room a (1737): the department in a printing offer typesetting and related operations are performed composing attick a (1679): a tray with an adjustable slide that a composition holds in one hand and sets type into which is desired that a composition holds in one hand and sets type into which the other feom-posetic kidm-pi-tat, kent, cap grading to get of composere) (156.) 1: made up of distinct parts; as a cap; relating to get of composere) (156.) 1: made up of distinct parts; as a cap; relating to get of the combining angular lonic volute with the centura-circled bell of the Corinthian of the Corinthian order combining angular lonic volute with the centura-circled bell of the Corinthian b: of or relating to a very large family (Composities) of disoviries doness herbs, shrubs, and trees often considered to be the most highly evolved plants and characteristic parts and the two or more prime factors other than 1 and itself (3) able into two or more prime factors other than 1 and itself (3) and beliento two or more prime factors other than 1 and itself (3) and Pointer) 3 of a summitted hyporhemia; specifying a range of lor one or more attained hyporhemia; specifying a range of lor one or more attained parameters—composite (composite plant 3: consourts function 4: a solid material composite of two or more substances having different physical composite plant 3: consourts function 4: a solid material composed of two or more substances having different physical composite plants and in which each substance retains its identity while made of plastic within which a throus material (as alloon on the combodded).

composed of two or more substance retains its identity while can territive and in which each substance retains its identity while can territive and in which each substance retains its identity while can make of pastic within which a fibrous material (as allicon each composite or least it in the composite or make and then applying the second function to the result sends as the first function is in the domain of the second-past-domain consists of those values of the independent variable for make and then applying the second function to the result sends in the result yielded by the first function lies in the domain of the second-past-domain consists of those values of the independent variable for process of composing; peetly in transpersent into specific progress or process of composing; peetly in transpersent into specific progress or relation and cap into artists form b (1): the arrangement of progress or relation and cap into artists form b (1): the arrangement of progress or relation and cap into artists form b (1): the arrangement of progress or relation and cap into accomposition) arrangement of the progress of progress of the progre

: AUGMENT (we was only that it is compound 2 to combine of 1 to become joined in a compound 2 to combine of pounders a greenment — compound his pounders a compound | 14c | 1 to composed of or resulting from unfor the compound | 14c | 1 to composed of or resulting from unfor the compound | 14c | 1 to composed of or resulting from unfor the compound | 14c | 1 to composed of a compound | 14c | 1 to composed of a compound | 14c | 1 to compound | 14c | 14c

......

interest a (1660); in a provided interest and accused interest and accused interest and an experience mounted and sumber n (156); is an experience mounted and sumber n (156); is an experience of the comparations or more than on a provided (1840); is a Chinese a large of its area of the comparation of the comparation

mornishmy or capability of incitick innity or capability of inciproperty (innity) or incitick innity or innity or innity or innity
innity (ide) 1: to press or we work that it is a set or we work that it is a set or we work that it is a set or we work that is a set or we work that

int — compress dones i 'primare second wave n (1877); implicated by the classic compression wave management of the compression wave in the compression wave in the compression of the co